# DIRECTED

compagnie derrière d'AstroStart®.

Depuis sa créaction, le but Since its inception, Directed has premier de Directed est d'offrir aux consommateurs les meilleurs systèmes de sécurité et accessoires automobiles. Bénéficiaire de près de 100 brevets et de Prix d'Innovation dans l'industrie de la technologie électronique avancée.

Les produits de qualité Directed sont vendus et entretenus partout en Amérique du Nord et dans le monde entier.

Appelez au (800) 274-0200 pour avoir plus d'information au sujet de nos produits et services.

The company behind Plateforme numérique intégrée AstroStart® Integrated Digital Platform is Directed.

> had one purpose, to provide consumers with the finest vehicle security and accessories available. The recipient of nearly 100 patents and Innovations Awards in the field of advanced electronic technology.

> Quality Directed products are sold and serviced throughout North America and around the world.


> Call (800) 274-0200 for more information about our products and services.

/Astro**Start**,

Systèmes de démarrage à distance et de sécurité Remote Start & Security Systems

tout est à votre portée... nothing comes remotely close...





© 2017 Directed. Tous droits réservés. / All rights reserved.

590-10099 (2017-05)

Directed s'engage à offrir des produits et services de qualité de classe mondiale qui raviront les clients.

www.astrostart.com

Directed is committed to delivering world class quality products and services that excite and delight customers.

GUIDE DE L'UTILISATEUR OWNER'S GUIDE

MODÈLE MODEL

**DSP625 DSP615** 

# **Congratulations**

Congratulations on the purchase of your state-of-the-art AstroStart Digital System. Reading this Owner's Guide prior to using your system will help maximize the use its many features. For more information please visit us online (see back cover for URL). For any additional questions please contact your authorized Directed dealer.

**Note:** Your system is configurable and may or may not include features such as remote start or security. This guide also covers optional features which may not be applicable to your system. Please speak with your installation specialist to find out which features are applicable.

# **Important Information**

# **Government Regulations and Safety Information**



Read the Government Regulations and Warning! Safety First sections of this manual prior to operating this system.

**WARNING!** Failure to heed this information can result in death, personal injury or property damage and may also result in the illegal use of the system beyond its intended purpose.

## Your Warranty

Your system comes with a warranty. The warranty terms are detailed at the end of this guide. Make sure that you receive the proof of purchase from your dealer, indicating the product was installed by an authorized AstroStart dealer.

## Replacement Remote Controls

Please see your authorized dealer to order additional remote controls. Remote control part number are typically found on the back of the device.

500-10702-01 2017-04-20

# **Table of Contents**

Congratulations
Important Information
Government Regulations and Safety Information
Your Warranty
Replacement Remote Controls
2-way communication
Getting Started
Keys to using this manual
Introduction
2625-TX 2-Way/2615-TX 1-Way Remote Control
Using the System6
Commands and Confirmations
Performing Commands
Remote Control Command Table
Basic Commands8
Arm/Lock 8
Panic Mode
Disarm/Unlock 8
Status
Trunk
Remote Start
Valet Modes 9
Manual Valet Modes
Emergency Override
Battery Information
Battery Replacement
Battery Disposal
Patent Information
Government Regulations
Warning! Safety First
Limited Lifetime Warranty 15

## 2-way communication

Throughout this guide, there are references to 2-way communication and/or confirmation of commands via the 2-way remote control. Please note that your system may not be equipped with a 2-way remote control so such feedback will not apply. If you would like to upgrade to a 2-way remote control, please see your authorized AstroStart dealer. Additional parts and labor may apply.

# **Getting Started**

## Keys to using this manual

- Specific actions (in bold type) and style conventions are used consistently throughout this manual, they are as follows:
- Press: implies pushing in and the remote will play the transmit beep to send the command.
- Hold: is used after Press actions. The remote will play a second set of transmitter beeps to inform the user that the other sets of command will be transmitted.
- An asterisk (\*) when used after a word or phrase denotes that additional details can be found in related sections usually noted at the bottom of the page or end of the section.
- Confirmation LED's are identified by the command/function button they are associated with.

## 2625-TX 2-Way/2615-TX 1-Way Remote Control

Feature	Description
Command buttons (4)	Used to perform arming, disarming, utility channel and remote start commands
P button P	Used to access function levels for commands, configuration menus for programming, Car Selection, and to access other advanced commands.
Confirmation LED's*	Each button has an associated LED next to it that are active during related operations. These LED's are labeled respectively as: Lock LED, Unlock LED, Remote Start LED and Trunk LED

<sup>\* 2-</sup>way communication is only applicable to the 2625-TX remote control.

### Antenna



The antenna sends and receives commands or messages to and from the system. It consists of:

- The Status LED, as a visual indicator of the system's status.
- Button, for accessing various feature, programming, and reporting functions of the system.

# Using the System

## **Commands and Confirmations**

This quick reference guide only covers basic features. Advanced features and more information on your system can be found in the full on-line guide. Please visit us on-line, and search using your system's model number (found on the front cover, the URL is located on the back cover):

The remote control sends commands that control the features of your system. Only the 2-way remote control confirms a command using LEDs, and tones, the 1-way does not.

If a command is sent for a feature that is not included in your system or not available (example: runtime reset when remote start is off) the remote control displays an alert by LED and tone.

If the system doesn't respond to a command the remote control displays an alert by LED and tone. You may be too far from your vehicle or "out-of-range". Change locations and retry until successful.

## **Performing Commands**

Press any command button directly to send one of the Basic commands to your system.

Press the P button 1-4 times before pressing a command button to send an Advanced command.

The following Remote Control Command table defines the button press actions required for the Basic and Advanced commands that may be available for your system.

## Example: Performing an advanced command, Silent Arm/Lock

- 1. Press the P button three times to access Function Level 3.
- 2. Then, press the button immediately to send the command.
- The system arms/locks silently and the remote control confirms by tones and LED (2625-TX only).

### Remote Control Command Table

Level	Basic Com- mands	Px1 LEVEL 1	P x2 LEVEL 2	Px3 LEVEL 3	P x4 LEVEL 4
a	Arm/Lock (Panic)*	Utility 1	Utility 3	Silent Arm/Lock	Car Finder
a	Disarm/Unlock	Utility 2	Utility 4	Silent Disarm/ Unlock	Combo Valet (Start/Alarm Valet)**
<b>—</b>	Remote Start** (Remote Stop)*	Runtime Remaining (2-way only)**	Alarm Valet	Low Temperature Mode**	Timer Start Mode**
<b>≈</b> €6	Status (Trunk)* (2-way only)	Defogger**			Battery Check (2-way only)
P	Advance Level, Change Car (Hold 1.5 sec.), Enter Programming (Hold 5 sec.)				

 $<sup>^{\</sup>star}$  Commands in brackets requires to press and hold the button in order to transmit.

## Shortcut Commands Table:

Commands	Button Combinations
Car Finder	<b>a</b> + <b>a</b>
Low-Temp Mode	<b>6 6</b> + <b>□••</b>
Alarm Valet	<b>a</b> + <b>b</b> ••
Start Valet	<b>a</b> + <b>□</b> ••

<sup>\*\*</sup> Remote Start commands are available only on systems with remote start features.

# **Basic Commands**

## Arm/Lock

## Press and release

The vehicle doors lock, siren/horn sound, parking lights flash, and alarm\* features are enabled. The 2-way remote control confirms by using LED and tone. If an alarm zone is active (e.g. door is open) an alert message will follow. If a Valet mode is enabled the 2-way remote control confirms by using LED and tones accordingly.

#### Panic Mode

#### Press and hold

The system arms/locks, then two seconds later begins the Panic output. The 2-way remote control confirms by using LED and tones. **Press** the **a** or **a** button to stop the panic output anytime.

## Disarm/Unlock

## Press and release

The vehicle doors unlock, siren/horn sound, parking lights flash, and alarm\* features are disabled. The 2-way remote control confirms by using LED and tone. If an alarm trigger has occurred an alert message will follow. If a Valet mode is enabled the 2-way remote control confirms by using LED and tones accordingly.

#### Status

Press and release (2-way remote control 2625-TX only)

The remote will generate a report status using the confirmation LED and tones once to display the system's current status (Lock, Unlock, Engine is running).

### Trunk

## Press and hold

The trunk opens (if connected) when this button is pressed for 4 seconds. The 2-way remote control (2625-TX) confirms by LED and tones.

Available for systems with security features only.

#### Remote Start

### Press and release

Activates the remote starter. The engine and parking lights turn On and the Remote start LED and On tones play, or the engine and parking lights turn Off and the Remote start LED and Off tones play to confirm. If a Remote start configuration issue prevents the engine from starting, a fault tone plays while the parking lights flash to identify the fault.

Press and hold for at least 4 seconds to remotely stop the engine.

#### Alert Conditions:

Parking Light Flashes	Possible Cause	Solution
5	Brake ON	Release Foot Brake.
6	Hood Open	Close Hood.
7	After performing Remote Start command MTS not enabled.	Enabled MTS Mode.
9	Start Valet on	Turn Start Valet off

### Valet Modes

Remote Valet Modes. The Valet commands in the remote command table turn on/off the Alarm Valet, Start Valet, or Combo Valet Modes (both Alarm & Start Valet).

# 

The Alarm Valet mode will disable included alarm features when armed/locked. It also disables any passive arm/lock settings if programmed on. The 2-way remote control confirms by using LED and tones.

## • Start Valet ( → + → )

The Start Valet mode will disable remote start features until turned off. The 2-way remote control confirms by using LED and tones.

## Combo Valet ( P x4 + a )

The Combo  $\overline{\text{Val}}\text{et}$  command is used to turn on/off both Alarm Valet and Start Valet together.

- If both Valets are off then both will be turned on.
- If one or both Valets are on, then they will be turned off.

The 2-way remote control confirms by using LED and tones.

### Manual Valet Modes

Use the following routine to manually turn on/off the Valet Modes, turning both on manually achieves Combo Valet:

- 1. Turn the ignition ON and then OFF.
- Alarm Valet:

Press and release the Valet button once.

Alarm Valet will turn on/off accordingly. The antenna LED will be on while Alarm Valet is on and will be off when Alarm Valet is off. The siren/horn also sounds to confirm

Start Valet:

Press and hold the Valet button for five seconds.

The parking lights flash nine times in rapid succession when turned on, and nine times in slow succession when turned off. The 2-way remote control confirms by using LED and tones.

## **Emergency Override**

The following procedure Disarms the system when a programmed remote is not available. Number of presses\_\_\_\_\_\_

- Turn the ignition ON.
- Press the Valet button the correct number of times (the default is 1 press).After a few seconds the siren output ceases and the system is Disarmed.

# **Battery Information**

The 2-way remote control (2625-TX) is powered by two batteries (CR-2016). The 1-way remote control (2615-TX) is powered by one 3V coin cell lithium battery (CR-2032) that can be purchased at most retailers. When the battery begins to weaken, the operating range will be reduced.

## **Battery Replacement**

## 2625-TX 2-way remote control

- Unscrew the hardware on unit rear and remove the metal frame from housing. Pry open the housing, this releases all parts of the assembly.
- Gently slide out the used battery to remove it from the holding clip. Orient the new battery for the correct polarity and insert into holding clip.
- 3. Reassemble unit and secure with hardware.

## 2615-TX 1-way remote control

- 1. If present, remove the small screw on the back of the remote.
- Use a small flat blade screwdriver and insert it into the slot located along the bottom of the remote, near the key ring. Carefully pry open the case.
- 3. Gently slide out the used battery to remove it from the holding clip. Orient the new battery for the correct polarity and insert into holding clip.
- Reposition case parts, and snap together by pressing firmly and evenly on the front and back. Reinstall screw (if applicable).

## **Battery Disposal**



AstroStart cares about the environment. If you need to dispose of the battery, please do so in accordance with your municipal requirements for battery disposal.

# **Patent Information**

This product is covered by one or more of the following United States patents:

### Remote Start Patents:

5,349,931; 5,872,519; 5,914,667; 5,952,933; 5,945,936; 5,990,786; 6,028,372; 6,467,448; 6,561,151; 7,191,053; 7,483,783

## Vehicle Security Patents:

5,467,070; 5,532,670; 5,534,845; 5,563,576; 5,646,591; 5,650,774; 5,673,017; 5,712,638; 5,872,519; 5,914,667; 5,952,933; 5,945,936; 5,990,786; 6,028,505; 6,452,484

Other patents pending.

# **Government Regulations**

This device complies with Part 15 of FCC rules. Operation is subject to the following two conditions: (1) This device may not cause harmful interference, and (2) This device must accept any interference received, including interference that may cause undesirable operation.

This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to Part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates and can radiate radio frequency energy and, if not installed and used in accordance with the instruction manual, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television, which can be determined by turning the equipment OFF and ON, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the
  receiver is connected.
- Consult the dealer or an experienced radio / TV technician for help.

#### Remote Controls

To satisfy FCC RF exposure compliance requirements, this device should be used in handheld, hand operated configurations only. The device and its antenna must maintain a separation distance of 20 cm or more from the person's body, except for the hand and wrists, to satisfy RF exposure compliance. This device is designed to be used in a person's hands and its operating configurations do not support normal transmissions while it is carried in pockets or holsters next to a person's body.

#### Antenna

To satisfy FCC RF exposure compliance requirements, the device and its antenna must maintain a separation distance of 20 cm or more from the person's body, except for the hand and wrists, to satisfy RF exposure compliance.

This device complies with the Industry Canada Radio Standards Specification RSS 210. Its use is authorized only on a no-interference, no-protection basis; in other words, this device must not be used if it is determined that it causes harmful interference to services authorized by IC. In addition, the user of this device must accept any radio interference that may be received, even if this interference could affect the operation of the device.

WARNING! Changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate this device.

# Warning! Safety First



Please read the safety warnings below before proceeding. Improper use of the product may be dangerous or illegal.

#### Installation

Due to the complexity of this system, installation of this product must only be performed by an authorized AstroStart dealer.

#### Remote Start Capable

When properly installed, this system can start the vehicle via a command signal from the remote control transmitter. Therefore, never operate the system in an enclosed area or partially enclosed area without ventilation (such as a garage). When parking in an enclosed or partially enclosed area or when having the vehicle serviced, the remote start system must be disabled using the "Start Valet" procedure found under "Valet Modes" in this guide. It is the user's sole responsibility to properly handle and keep out of reach from children all remote control remote controls to assure that the system does not unintentionally remote start the vehicle. IT IS RECOMMENDED THAT THE USER INSTALL A CARBON MONOXIDE DETECTOR IN THE LIVING AREAS ADJACENT TO THE VEHICLE. ALL DOORS LEADING FROM ADJACENT LIVING AREAS TO THE ENCLOSED OR PARTIALLY ENCLOSED VEHICLE STORAGE AREA MUST BE CLOSED AT ALL TIMES. These precautions are the sole responsibility of the user.

### Manual Transmission Vehicles

Remote starters on manual transmission vehicles operate differently than those with automatic transmission because you must leave your car in neutral. You must read this Owner's Guide to familiarize yourself with the proper procedures regarding manual transmission remote starters. If you have any questions, ask your authorized AstroStart dealer.

Before remote starting a manual transmission vehicle, be sure to:

- Leave the vehicle in neutral and be sure no one is standing in front or behind the vehicle.
- Only remote start on a flat surface
- · Have the parking brake fully engaged

WARNING! It is the responsibility of the owner to ensure the parking/emergency brake properly functions. Failure to do so can result in personal injury or property damage. We recommend the owner have the parking / emergency brake system inspected and adjusted by a qualified automotive shop biannually.

Use of this product in a manner contrary to its intended mode of operation may result in property damage, personal injury, or death. (1) Never remotely start the vehicle with the vehicle in gear, and (2) Never remotely start the vehicle with the keys in the ignition. The user must also have the neutral safety feature of the vehicle periodically checked, wherein the vehicle must not remotely start while the car is in gear. This testing should be performed by an authorized AstroStart dealer in accordance with the Safety Check outlined in the product installation guide. If the vehicle starts in gear, cease remote start operation immediately and consult with the authorized AstroStart dealer to fix the problem.

After the remote start module has been installed, contact your authorized dealer to have him or her test the remote start module by performing the Safety Check outlined in the product installation guide. If the vehicle starts when performing the Neutral Safety Shutdown Circuit test, the remote start unit has not been properly installed. The remote start module must be removed or the installer must properly reinstall the remote start system so that the vehicle does not start in gear. All installations must be performed by an authorized AstroStart dealer.

OPERATION OF THE REMOTE START MODULE IF THE VEHICLE STARTS IN GEAR IS CONTRARY TO ITS INTENDED MODE OF OPERATION. OPERATING THE REMOTE START SYSTEM UNDER THESE CONDITIONS MAY CAUSE THE VEHICLE TO UNEXPECTEDLY LUNGE FORWARD RESULTING IN PROPERTY DAMAGE OR SERIOUS PERSONAL INJURY INCLUDING DEATH. YOU MUST IMMEDIATELY CEASE THE USE OF THE UNIT AND SEEK THE ASSISTANCE OF AN AUTHORIZED ASTROSTART DEALER TO REPAIR OR DISCONNECT THE INSTALLED REMOTE START MODULE. ASTROSTART WILL NOT BE HELD RESPONSIBLE OR PAY FOR INSTALLATION OR REINSTALLATION COSTS.

This product is designed for fuel injected vehicles only. Use of this product in a standard transmission vehicle must be in strict accordance with this guide.

This product should not be installed in any convertible vehicles, soft or hard top with a manual transmission. Installation in such vehicles may pose certain risk.

#### Interference

All radio devices are subject to interference which could affect proper performance.

## Upgrades

Any upgrades to this product must be performed by an authorized AstroStart dealer. Do not attempt to perform any unauthorized modifications to this product.

### Water/Heat Resistance

This product is not designed to be water and/or heat-resistant. Please take care to keep this product dry and away from heat sources. Any damage from water or heat will void the warranty.

# **Limited Lifetime Warranty**

LIMITED LIFETIME WARRANTY ON REMOTE CONTROL STARTER MODULE TWO (2) YEARS WARRANTY ON THE RECEIVER AND THE TRANSMITTERS TWO (2) YEARS WARRANTY ON THE ACCESSORIES

#### ASTROSTART® REMOTE CONTROL STARTERS (MODULE)

Directed Electronics Canada, Inc., manufacturer of AstroStart remote control starters (the Product), warrants to the original end-user purchaser that the main control module (Module) shall be free of defects in materials and/or workmanship for a limited lifetime provided the original end-user purchaser continuously owns the vehicle the Product was originally installed in and the Product remains continually installed in the vehicle during the warranty period. In accordance with the terms of this limited warranty, Directed Electronics Canada, Inc., at its expense (subject to exceptions stipulated thereinafter) shall repair or replace the Product which is proven defective.

#### ASTROSTART® RECEIVER & TRANSMITTERS - (COMPONENT)

Directed Electronics Canada, Inc. warrants to the original end-user purchaser that any AstroStart Receiver or Transmitter (Component) part provided contemporaneously with the main Product (Module) shall be free of defects in materials and/or workmanship for a period of two (2) years from the date of purchase, provided the original end-user purchaser owns the vehicle that the main Product (Module) the Component was provided for, remains continually installed in the vehicle. In accordance with the terms of this warranty, Directed Electronics Canada, Inc., at its expense, shall repair or replace (subject to exceptions stipulated thereinafter) the Components which are proven defective.

### ASTROSTART® ACCESSORIES - (ANY OTHER ELECTRONIC MODULE)

Directed Electronics Canada, Inc. warrants to the original end-user purchaser that any AstroStart Accessory part installed contemporaneously with the main Product (Module) shall be free of defects in materials and/or workmanship for a period of two (2) years from the date of purchase provided the original end-user purchaser owns the vehicle the Accessory was originally installed in and the Accessory remains continually installed in the vehicle. In accordance with the terms of this warranty, Directed Electronics Canada, Inc., at its expense, shall repair or replace (subject to exceptions stipulated thereinafter) the Accessory which are proven defective.

#### WARRANTY LIMITATIONS

- The warranty period begins on the date the Module, Component or Accessory was purchased. In the event the date of purchase cannot be verified by the purchase invoice, the manufacturer's date indicated on the Product, Component or Accessory covered by this warranty shall be the date the warranty period begins.
- Installation or service of any Module, Accessory or Component covered by any
  of the Directed Electronics Canada, Inc. warranties, must be performed by an
  authorized Directed Electronics Canada, Inc. technician.

#### WARRANTY IS VOID IF

- The main control Module or Accessory (excluding accessories that require the insertion of a key, example; Cut II) are opened.
- The manufacturing date sticker is removed or damaged.
- The Product (i) is defective or has been damaged due to accident, neglect, fire, misuse, flood, lightning, shipping and handling, or any other condition beyond the control of Directed Electronics Canada, Inc., (ii) has been altered in any way, (iii) has been installed or repaired by anyone other than an authorized technician, or (iv) has been installed or used in an inappropriate manner.

#### WARRANTY DOES NOT COVER

- Any damage to the unit caused by the removal, installation or maintenance of the Product, Accessory or Component, any labour cost for the removal, reinstallation or maintenance of the Product, Accessory or Component, shipment of the defective Product, Accessory or Component to Directed Electronics Canada, Inc., return of the repaired or replaced Product, Accessory or Component.
- Wires, cables or switches.
- Batteries.
- Remote transmitter cases or the rubber button membrane from wear or damaged in use

#### OWNER'S RESPONSIBILITIES FOR ALL WARRANTY RETURNS

\*\*For all problems, the customer is asked to present themselves to an authorized Directed Electronics Canada, Inc. dealer with the following\*\*

A clear copy of the sales receipt, of the Product, Accessory or Component showing all the following:

- Date of purchase
- Customer's full name and address
- The authorized dealer's company name and address.
- The type of product installed.
- The year, make, model and color of the vehicle.
- The vehicle license number and/or the vehicle identification number.

#### WARRANTY TEXT-

ASTROSTART SECURITY SYSTEMS ARE DETERRENTS AGAINST POSSIBLE THEFT. DIRECTED ELECTRONICS CANADA, INC. IS NOT OFFERING A GUARANTEE OR INSURANCE AGAINST VANDALISM, DAWAGE OR THEFT OF THE VEHICLE, ITS PARTS OR CONTENTS; AND HEREBY EXPRESSLY DISCLAIMS ANY LIABILITY WHATSOEVER, INCLUDING WITHOUT LIMITATION, LIABILITY OF THEFT, DAWAGE AND/OR VANDALISM. DIRECTED ELECTRONICS CANADA, INC. DOES NOT AUTHORIZE ANY PERSON TO CREATE FOR IT ANY OTHER OBLIGATION OR LIABILITY IN CONNECTION WITH THIS SECURITY SYSTEM. THIS LIMITED WARRANTY IS IN LIEU OF ALL OTHER WARRANTIES, WHETHER ORAL, WRITTEN, EXPRESS OR IMPLIED. TO THE MAXIMUM EXTENT ALLOWED BY LAW, ALL WARRANTIES, INCLUDING BUT NOT LIMITED TO EXPRESS WARRANTY, IMPLIED WARRANTY, WARRANTY OF MERCHANTABILITY,

FITNESS FOR PARTICULAR PURPOSE AND WARRANTY OF NONINFRINGEMENT OF INTELLECTUAL PROPERTY, ARE EXPRESSLY EXCLUDED, AND DIRECTED ELECTRONICS CANADA, INC. NEITHER ASSUMES NOR AUTHORIZES ANY PERSON OR ENTITY TO ASSUME FOR IT ANY DUTY, OBLIGATION OR LIABILITY IN CONNECTION WITH ITS PRODUCTS, DIRECTED ELECTRONICS CANADA, INC. DISCLAIMS AND HAS ABSOLUTELY NO LIABILITY FOR ANY AND ALL ACTS OF THIRD PARTIES INCLUDING ITS AUTHORIZED DEALERS OR INSTALLERS, DIRECTED ELECTRONICS CANADA. INC.'S WARRANTY OBLIGATIONS AND PURCHASER'S REMEDIES HEREUNDER ARE SOLELY AND EXCLUSIVELY AS STATED HEREIN. THIS WARRANTY DOES NOT COVER ANY LABOUR COSTS FOR MAINTENANCE, REMOVAL OR REINSTALLATION OF THE UNIT OR ANY CONSEQUENTIAL DAMAGES OF ANY KIND IN THIS RESPECT. IN THE EVENT OF A CLAIM OR A DISPUTE INVOLVING DIRECTED FIFCTRONICS CANADA, INC. OR ITS SUBSIDIARY; THE PROPER VENUE SHALL BE IN THE PROVINCE OF QUEBEC. QUEBEC PROVINCIAL LAWS AND APPLICABLE CANADIAN FEDERAL LAWS SHALL APPLY AND GOVERN THE DISPUTE. THE MAXIMUM RECOVERY UNDER ANY CLAIM AGAINST DIRECTED ELECTRONICS CANADA. INC. SHALL BE STRICTLY LIMITED TO THE AUTHORIZED DIRECTED ELECTRONICS CANADA, INC., DEALER'S PURCHASE PRICE OF THE UNIT. DIRECTED ELECTRONICS CANADA, INC. SHALL NOT BE RESPONSIBLE FOR ANY DAMAGES WHATSOEVER, INCLUDING BUT NOT LIMITED TO, ANY CONSEQUENTIAL DAMAGES, INCIDENTAL DAMAGES, DAMAGES FOR THE LOSS OF TIME, LOSS OF EARNINGS, COMMERCIAL LOSS, LOSS OF ECONOMIC OPPORTUNITY AND THE LIKE. THE WARRANTY FROM DIRECTED ELECTRONICS CANADA, INC. SOLELY AND EXCLUSIVELY APPLIES TO THE PRODUCT ITSELF. A CLAIM SETTIEMENT DOES NOT CONSTITUTE AN ACKNOWLEDGEMENT OF LIABILITY FROM DIRECTED ELECTRONICS CANADA, INC. OR ANY OF ITS AUTHORIZED DEALERS OR INSTAILERS

Some states or provinces do not allow the exclusion or limitation of incidental or consequential damages, so the above limitations or exclusions may not apply to you. Similar exclusions or limitations, including those as to non-assignment, may be applicable in some Canadian provinces. This warranty gives you specific legal rights and you may also have other rights which vary from state to state or province to province.

This warranty contains the entire agreement relating to warranty and supersedes all previous and contemporaneous representations or understandings, whether written, implied or oral. This warranty is only valid for sale of product(s) within the United States of America and in Canada. Product(s) sold outside of the United States of America or Canada are sold "AS-IS" and shall have NO WARRANTY, express or implied.

For further details relating to warranty information of Directed products, please visit the support section of Directed's website at: www.directed.com.